Kits

golmar





## **For Villas**

golmar

With Rock vandal resistant panel

Injected aluminium <u>vandal resistant</u> (<u>IK-09</u>) and <u>weatherproof</u> (<u>IP-44</u>) door panels, in grey colour. Electronic call with acoustic acknowledgement signal at the door panel. Steady illumination at the door panel. Dimensions: external: 144(W) x 144(H) mm.

embedded:  $131(W) \times 131(H) \times 45(D)$  mm.

Two possibilities for installation:

4+'n', which allows up to 3 telephones inside the same apartment (pag. 62 and 66),

<u>2 wires</u> (K-2 AL and K-22 AL models), which allows the replacement of an existing bell keeping the same installation. K-22 AL model includes a telephone with additional potential free contact push button. Three positions call volume regulator is included in both telephone models. Up to 2 units of S-45 call repeater can be connected (pag. 68).

This type of installation do not allow additional telephones.

To be used with <u>12Va.c. lock releases</u> (pag. 78 and 79).

Door panel accessories are detailed on page 12.

| C C     |    | K-201 AL | 1 way audio kit composed of:   | 11242014                         |
|---------|----|----------|--|----------------------------------|
| e e     | I  | •        | PE-295/1 AL one push button door panel.<br>M embedding box.<br>Condal T-900 telephone with electronic call.<br>TF-104 transformer.             | p. 31<br>p. 33<br>p. 66<br>p. 42 |
| C. C    |    | K-202 AL | 2 ways audio kit composed of:  | 11242024                         |
|         | ₹2 | •        | PE-295/2 AL two push buttons door panel.<br>M embedding box.<br>2 units of Condal T-900 telephone with electronic call.<br>TF-104 transformer. | p. 31<br>p. 33<br>p. 66<br>p. 42 |
| C COLOR |    | K-2 AL   | 1 way audio kit composed of:   | 11240024                         |
| e e     |    |          | PE-292 AL one push button door panel.<br>M embedding box.<br>Condal T-920 telephone with electronic call.<br>TF-104 transformer.               | p. 31<br>p. 33<br>p. 65<br>p. 42 |
| 0<br>() |    | K-22 AL  | 1 way audio kit composed of:   | 11240224                         |
|         |    |          | PE-292 AL one push button door panel.<br>M embedding box.<br>Condal T-922 telephone with electronic call.<br>TF-104 transformer.               | p. 31<br>p. 33<br>p. 65<br>p. 42 |

# golmar

#### **For Villas**

With Rock vandal resistant panel

Injected aluminium vandal resistant (IK-09) and weatherproof (IP-44) door panels, in grey colour. Electronic call with acoustic acknowledgement signal at the door panel. Steady illumination at the door panel. Dimensions: external: 144(W) x 144(H) mm. embedded: 131(W) x 131(H) x 45(D) mm.

Two possibilities for installation:

4+'n', which allows up to 3 telephones inside the same apartment (pag. 62 and 66),

2 wires (K-22 SE model), which allows the replacement of an existing bell keeping the same installation. This kit includes a telephone with an additional push button with a potential free contact and call volume regulator with on-off function. Up to 2 units of S-45 call repeater can be connected (pag. 68).

This type of installation do not allow additional telephones.

To be used with 12Va.c. lock releases (pag. 78 and 79). Lock release is included in K-22SE kit, which can only operate with automatic function lock releases (CV-24 series).

Door panel accessories are detailed on page 12.

Schematic diagrams and sections chart are shown on page 94.

| C Common | K-201 AL     | 1 way audio kit composed of:  | 11242014                         |
|----------|--------------|---|----------------------------------|
| 6 6      | <b>()</b> () | PE-295/1 AL one push button door panel.<br>M embedding box.<br>Platea T-700 telephone with electronic call.<br>TF-104 transformer.<br><b>Available from 1st quarter 2006.</b> | p. 31<br>p. 33<br>p. 62<br>p. 42 |
|          | K6-201 AL    | 1 way multi - kit composed of:  | 11242016                         |
|          | N ()         | 6 units of K-201 AL kit.<br>Available from 1st quarter 2006.  |                                  |

| Common Co    |     | K-202 AL | 2 ways audio kit composed of:  | 11242024                         |
|--------------|-----|----------|--|----------------------------------|
| 0 0 0<br>0 0 | × 2 | 0 🛛 🗖    | PE-295/2 AL two push buttons door panel.<br>M embedding box.<br>2 units of Platea T-700 telephone with electronic call.<br>TF-104 transformer.<br>Available from 1st quarter 2006. | p. 31<br>p. 33<br>p. 62<br>p. 42 |
| C Comment    | 33  | K-22SE   | 1 way audio kit composed of:   | 11240225                         |
| e e          | r.  | 09       | PE-292 SE one push button door panel.<br>M embedding box.<br>Platea T-722VD telephone with electronic call.<br>TF-104 transformer.   | p. 31<br>p. 33<br>p. 61<br>p. 42 |

CV-24 automatic lock release.

Available from 2nd guarter 2006.

p. 79

# **For Villas**

golmar

With Surf surface panel

## Available from 2nd quarter 2006

4404000

Door panel with surface installation manufactured in aluminium and ABS plastic. Sound module with independent door panel and telephone adjusting level volume. Electronic call. Steady illumination at the door panel. External dimensions: 99(W) x 185(H) x 35(D) mm.

- <u>2 wires installation</u>, which allows the replacement of an existing bell keeping the same installation. This kit includes a telephone with an additional push button with potential free contact and call volume regulator with on-off function. Up to 2 units of S-45 call repeater can be connected (pag. 68). This type of installation <u>do not allow additional telephones</u>.
- <u>12Va.c. lock release with automatic function is included in the kit. Note that it can only operate with this type of lock releases (CV-24 series, pag. 78 and 79).</u>





| AS-22 | 1 way audio kit composed of:   | 11240223                         |
|-------|--|----------------------------------|
|       | PES-22 one push button door panel.<br>Platea T-722VD telephone with electronic call.<br>TF-104 transformer.<br>CV-24 automatic lock release. | p. 10<br>p. 61<br>p. 42<br>p. 79 |
|       |  |                                  |

| <b>PES-22</b> |              | Audio door panel.   | 11250223 |
|---------------|--------------|---|----------|
|               | <b>()</b> () | 1 push button.<br>Only for replacement purposes.<br>Surface installation.<br>Dimensions: 99(W) x 185(H) x 35(D) mm. |          |

C



#### With Stadio Plus panel

## Available with Platea T-700 telephone from 1st quarter 2006


Extruded aluminium door panel.


Electronic call with acoustic acknowledgement signal at the door panel. Steady illumination at the door panel. Dimensions: external: 134(W) x 148(H) mm. embedded: 125(W) x 140(H) x 56(D) mm.

4+'n' installation, which allows up to 3 telephones inside the same apartment (pag. 62 and 66).

To be used with <u>12Va.c. lock releases</u> (pag. 78 and 79).

Door panel accessories are detailed on page 12.








# **For Villas**

golmar

#### **Accessories**

#### **Rock vandal resistant panel**



#### **Stadio Plus panel**

|   | 711/AL |   | Rain shield.   | 11280711<br>p. 51        |  |
|---|--------|---|--|--------------------------|--|
|   | 871/AL |   | Surface box with integrated rain shield.<br>Does not use embedding box.<br>32 mm. depth only.  | <u>11280871</u><br>р. 50 |  |
| - | 881/AL |   | Surface box.   | 11280881                 |  |
|   |        | 0 | Cannot be used with rain shield.<br>Does not use embedding box.<br>32 mm. depth only.<br>Dimensions: 134(W) x 148(H) x 32(D) mm.<br>Available from 1st quarter 2006. | p. 51                    |  |
|   | 911/AL |   | 45° surface box.   | 11280911                 |  |

 Dimensions: 140(W) x 151(H) x 140(D) mm.
 p. 53

 611/AL
 Replacement frame.
 11280611

 Covers the existing hole from larger panels.
 p. 54

 Dimensions: 200(W) x 278(H) mm.
 p. 54



#### With Rock vandal resistant panel


#### Available with Platea T-700 telephone from 1st quarter 2006

Injected aluminium <u>vandal resistant</u> panel in brown colour. Electronic call with acoustic acknowledgement signal at the door panel. Steady illumination at the door panel. Dimensions: external: 144(W) x 240(H) mm. embedded: 139(W) x 234(H) x 58(D) mm.

4+'n' installation, which allows up to 3 telephones inside the same apartment (pag. 62 and 66).

To be used with <u>12Va.c. lock releases</u> (pag. 78 and 79).

Door panel accessories are detailed on page 16.



golmar

With Stadio Plus panel

## Available with Platea T-700 telephone from 1st quarter 2006


Extruded aluminium door panel.

Electronic call with acoustic acknowledgement signal at the door panel. Steady illumination at the door panel. Dimensions: external: 134(W) x 228(H) mm. embedded: 125(W) x 220(H) x 56(D) mm.

4+'n' installation, which allows up to 3 telephones inside the same apartment (pag. 62 and 66).

To be used with <u>12Va.c. lock releases</u> (pag. 78 and 79).

Door panel accessories are detailed on page 16.



|      |     | 4140/AL | 4 ways audio kit composed of:   | 11284140                         |
|------|-----|---------|---|----------------------------------|
|      | × 4 | •       | 2140/AL four push buttons grille module.<br>Sound module.   | p. 44                            |
| 0000 |     |         | 600/AL closing heads.<br>CE615 embedding box.<br>4 units of Condal T-900 telephone with electronic call.<br>TF-104 transformer. | p. 49<br>p. 50<br>p. 66<br>p. 59 |

| - Terrer | 4150/AL | 5 ways audio kit composed of:  | 11284150                         |
|----------|---------|--|----------------------------------|
|          |         | 2150/AL three push buttons grille module.<br>Sound module.<br>600/AL closing heads.<br>CE615 embedding box.<br>5 units of Condal T-900 telephone with electronic call. | p. 44<br>p. 49<br>p. 50<br>p. 66 |
|          |         | TF-104 transformer.  | p. 59                            |



| With Stadio Plus panel |                    | Available with Platea T-700 telephone from 1st quarter 2 |  |          |  |  |
|------------------------|--------------------|--|--|----------|--|--|
| firms)                 |                    | 4260/AL  | 6 ways audio kit composed of:                              | 11284260 |  |  |
| •                      | <b>×</b> 6         |  | 2260/AL six push buttons grille module.<br>Sound module.   | p. 44    |  |  |
|                        | _                  |  | 600/AL closing heads.                                      | p. 49    |  |  |
| 0 0                    |                    |  | CE615 embedding box.                                       | p. 50    |  |  |
| 0 0                    |                    |  | 6 units of Condal T-900 telephone with electronic call.    | p. 66    |  |  |
| 0 0                    | ALC: NO PARTY OF A |  | TF-104 transformer.  | p. 59    |  |  |
| 12mm                   | 1.00               | 4280/AL  | 8 ways audio kit composed of:                              | 11284280 |  |  |
|                        | × 8                |  | 2280/AL eight push buttons grille module.<br>Sound module. | p. 45    |  |  |
|                        |                    |  | 600/AL closing heads.                                      | p. 49    |  |  |
| 000                    |                    |  | CE615 embedding box.                                       | р. 50    |  |  |
| 0 0                    | JT                 |  | 8 units of Condal T-900 telephone with electronic call.    | p. 66    |  |  |
| 0 0                    |                    |  | TF-104 transformer.  | p. 59    |  |  |
| line of the            | 288                | 4210/AL  | 10 ways audio kit composed of:                             | 11284210 |  |  |
| •                      | × 10               |  | 2210/AL ten push buttons grille module.<br>Sound module.   | p. 45    |  |  |
| 0 0                    |                    |  | 600/AL closing heads.                                      | p. 49    |  |  |
| 00 00                  |                    |  | CE615 embedding box.                                       | p. 50    |  |  |
| 0 0                    | 11                 |  | 10 units of Condal T-900 telephone with electronic call.   | p. 66    |  |  |
| 0 0                    | E                  |  | TF-104 transformer.  | p. 59    |  |  |

golmar

#### Accessories

**Rock vandal resistant panel** 

| VIS-295/1M | Rain shield. | 11229591 |
|------------|--------------|----------|
|            |              | p. 41    |
|            |              |          |

# **Stadio Plus panel**

|             | 705/AL |    | Rain shield.   | 11280705 |          |
|-------------|--------|----|--|----------|----------|
| 11          |        |    |  | p. 51    |          |
| 1.1         | 875/AL |    | Surface box with integrated rain shield.   | 11280875 | lo d     |
|             |        |    | Does not use embedding box.<br>32 mm. depth only.  | p. 50    |          |
| · Thereward | 885/AL |    | Surface box.   | 11280885 | <u>e</u> |
|             | Q      | 00 | Cannot be used with rain shield.<br>Does not use embedding box.<br>32 mm. depth only.<br>Dimensions: 134(W) x 240(H) x 32(D) mm.<br>Available from 1st quarter 2006. | p. 51    |          |

|   | 905/AL | 45° surface box.   | 11280905 | 0 |
|---|--------|--|----------|---|
|   |        | Dimensions: 140(W) x 231(H) x 140(D) mm.   | р. 53    |   |
| • | 605/AL | Replacement frame.   | 11280605 |   |
|   |        | Covers the existing hole from larger panels.<br>For compact size door panels.<br>Dimensions: 200(W) x 395(H) mm. | p. 54    | Ĉ |

