

Systems composition

Select the required number of apartments. The complete system is described in three parts: door panel mechanical composition, electronic modules and the rest of components.

Lock release and video distributors (in case of video systems) are not described.

Apartments n.	Door panel mechanical composition	Door panel external dimensions
	Door panel electronic modules	Power supply + Telephones / Monitors

Audio Systems

4+'n' installation

The underlined text in green colour shows the system composition with electronic call. For systems with buzzer call, simply change the T-700 telephone by the T-710R.

4 wires digital installation

The underlined text in orange colour shows the system composition with digital installation. If telephones with additional features are required (as output for call repeater or relay unit, call volume regulator, ...), use T-940 Plus telephone instead of T-740 Uno.

Video systems

3+coaxial digital installation

Both b/w (text underlined in green colour) and color versions (text underlined in orange colour) are shown. If monitors with additional features are required (as output for call repeater or relay unit, call volume regulator, ...), use Platea Plus or Platea Plus Color monitors instead of Platea Uno or Platea Uno Color respectively. RCPL-Plus wall mounting connector must be also used instead of RCPL-Uno.

4+twisted pair digital installation

Based on a 3+coaxial system composition, add an EL560 video transmitter on the door panel electronics composition. An EL562 video receiver must be also added on each monitor.

Audio Systems
 4+'n' installation

 4 wires digital installation

* Available in kit.

Complete systems

 1 2110/AL + CE610 + 600/AL	 + EL555		 + TF-104 + T-700	*	134(W) x 148(H) mm.
	 + EL540 + EL500				
 2 2220/AL + CE610 + 600/AL	 + EL555		 + TF-104 + (2 x T-700)	*	134(W) x 148(H) mm.
	 + EL540 + EL500				
 3 2130/AL + CE615	 + EL555		 + TF-104 + (3 x T-700)	*	134(W) x 228(H) mm.
	 + EL540 + EL500				
 4 2140/AL + CE615	 + EL555		 + TF-104 + (4 x T-700)	*	134(W) x 228(H) mm.
	 + EL540 + EL500				
 5 2150/AL + CE615	 + EL555		 + TF-104 + (5 x T-700)	*	134(W) x 228(H) mm.
	 + EL540 + EL500				
 6 2260/AL + CE615	 + EL555		 + TF-104 + (6 x T-700)	*	134(W) x 228(H) mm.
	 + EL540 + EL500				
 6 2110/AL + 3150/AL + CE620 + 600/AL	 + EL555		 + TF-104 + (6 x T-700)	*	134(W) x 265(H) mm.
	 + EL540 + EL500				

Audio Systems

4+'n' installation

4 wires digital installation

* Available in kit.

	8	2280/AL + CE615			134(W) x 228(H) mm.
			+ EL555	+ TF-104 + (8 x T-700)	
	10	2210/AL + CE615			134(W) x 228(H) mm.
			+ EL555	+ TF-104 + (10 x T-700)	
	12	2220/AL + 3210/AL + CE620 + 600/AL			134(W) x 265(H) mm.
			+ EL555	+ TF-104 + (12 x T-700)	
	12	2000/AL + 3000/AL + 3140/AL + 3280/AL + (2 x CE620) + UC + (2 x 600/AL)			268(W) x 265(H) mm.
			+ EL555	+ TF-104 + (12 x T-700)	
	14	2000/AL + 3240/AL + 3210/AL + CE630 + 600/AL			134(W) x 382(H) mm.
			+ EL555	+ TF-104 + (14 x T-700)	
	15	2000/AL + 3000/AL + 3150/AL + 3210/AL + (2 x CE620) + UC + (2 x 600/AL)			268(W) x 265(H) mm.
			+ EL555	+ TF-104 + (15 x T-700)	
	16	2000/AL + 3260/AL + 3210/AL + CE630 + 600/AL			134(W) x 382(H) mm.
			+ EL555	+ TF-104 + (16 x T-700)	
			+ EL540 + EL500 + EL516	+ FA-Plus + (16 x T-740 Uno)	

Complete systems



Audio Systems
 4+'n' installation

 4 wires digital installation


16 2000/AL + 3000/AL + (2 x 3280/AL) + (2 x CE620) + UC + (2 x 600/AL) 268(W) x 265(H) mm.

 + EL555

 + TF-104 + (16 x T-700)

 + EL540 + EL500 + EL516

 + FA-Plus + (16 x T-740 Uno)


18 2000/AL + 3280/AL + 3210/AL + CE630 + 600/AL 134(W) x 382(H) mm.

 + EL555

 + TF-104 + (18 x T-700)

 + EL540 + EL500 + EL516

 + FA-Plus + (18 x T-740 Uno)


18 2220/AL + 3110/AL + 3150/AL + 3210/AL + (2 x CE620) + UC + (2 x 600/AL) 268(W) x 265(H) mm.

 + EL555

 + TF-104 + (18 x T-700)

 + EL540 + EL500 + EL516

 + FA-Plus + (18 x T-740 Uno)


20 2000/AL + (2 x 3210/AL) + CE630 + 600/AL 134(W) x 382(H) mm.

 + EL555

 + TF-104 + (20 x T-700)

 + EL540 + EL500 + EL516

 + FA-Plus + (20 x T-740 Uno)


20 2000/AL + 3000/AL + (2 x 3210/AL) + (2 x CE620) + UC + (2 x 600/AL) 268(W) x 265(H) mm.

 + EL555

 + TF-104 + (20 x T-700)

 + EL540 + EL500 + EL516

 + FA-Plus + (20 x T-740 Uno)


21 2000/AL + 3000/AL + 3120/AL + 3150/AL + 3240/AL + 3210/AL + (2 x CE630) + UC + (2 x 600/AL) 268(W) x 382(H) mm.

 + EL555

 + TF-104 + (21 x T-700)

 + EL540 + EL500 + EL516

 + FA-Plus + (21 x T-740 Uno)


22 2220/AL + (2 x 3210/AL) + CE630 + 600/AL 134(W) x 382(H) mm.

 + EL555

 + TF-104 + (22 x T-700)

 + EL540 + EL500 + EL516

 + FA-Plus + (22 x T-740 Uno)



24 2220/AL + 3220/AL + (2 x 3210/AL) + (2 x CE620) + UC + (2 x 600/AL) 268(W) x 265(H) mm.

+ EL555

+ TF-104 + (24 x T-700)

+ EL540 + EL500 + (2 x EL516)

+ FA-Plus + (24 x T-740 Uno)



24 2000/AL + 3000/AL + 3130/AL + 3150/AL + 3260/AL + 3210/AL + (2 x CE630) + UC + (2 x 600/AL) 268(W) x 382(H) mm.

+ EL555

+ TF-104 + (24 x T-700)

+ EL540 + EL500 + (2 x EL516)

+ FA-Plus + (24 x T-740 Uno)



26 2000/AL + 3260/AL + (2 x 3210/AL) + (2 x CE620) + UC + (2 x 600/AL) 268(W) x 265(H) mm.

+ EL555

+ TF-104 + (26 x T-700)

+ EL540 + EL500 + (2 x EL516)

+ FA-Plus + (26 x T-740 Uno)



27 2000/AL + 3000/AL + 3140/AL + 3150/AL + 3280/AL + 3210/AL + (2 x CE630) + UC + (2 x 600/AL) 268(W) x 382(H) mm.

+ EL555

+ TF-104 + (27 x T-700)

+ EL540 + EL500 + (2 x EL516)

+ FA-Plus + (27 x T-740 Uno)



28 2000/AL + 3280/AL + (2 x 3210/AL) + (2 x CE620) + UC + (2 x 600/AL) 268(W) x 265(H) mm.

+ EL555

+ TF-104 + (28 x T-700)

+ EL540 + EL500 + (2 x EL516)

+ FA-Plus + (28 x T-740 Uno)



28 2000/AL + 3000/AL + (2 x 3240/AL) + (2 x 3210/AL) + (2 x CE630) + UC + (2 x 600/AL) 268(W) x 382(H) mm.

+ EL555

+ TF-104 + (28 x T-700)

+ EL540 + EL500 + (2 x EL516)

+ FA-Plus + (28 x T-740 Uno)



30 2000/AL + (3 x 3210/AL) + (2 x CE620) + UC + (2 x 600/AL) 268(W) x 265(H) mm.

+ EL555

+ TF-104 + (30 x T-700)

+ EL540 + EL500 + (2 x EL516)

+ FA-Plus + (30 x T-740 Uno)

Audio Systems
 4+'n' installation

 4 wires digital installation

Available in kit.

**30****2000/AL + 3000/AL + (2 x 3150/AL) + (2 x 3210/AL) + (2 x CE630) + UC + (2 x 600/AL)****268(W) x 382(H) mm.** + EL555 + TF-104 + (30 x T-700) + EL540 + EL500 + (2 x EL516) + FA-Plus + (30 x T-740 Uno)**32****2220/AL + (3 x 3210/AL) + (2 x CE620) + UC + (2 x 600/AL)****268(W) x 265(H) mm.** + EL555 + TF-104 + (32 x T-700) + EL540 + EL500 + (2 x EL516) + FA-Plus + (32 x T-740 Uno)**32****2000/AL + 3000/AL + (2 x 3260/AL) + (2 x 3210/AL) + (2 x CE630) + UC + (2 x 600/AL)****268(W) x 382(H) mm.** + EL555 + TF-104 + (32 x T-700) + EL540 + EL500 + (2 x EL516) + FA-Plus + (32 x T-740 Uno)**33****2220/AL + 3110/AL + (2 x 3150/AL) + (2 x 3210/AL) + (2 x CE630) + UC + (2 x 600/AL)****268(W) x 382(H) mm.** + EL555 + TF-104 + (33 x T-700) + EL540 + EL500 + (2 x EL516) + FA-Plus + (33 x T-740 Uno)**34****2000/AL + 3000/AL + 3260/AL + 3280/AL + (2 x 3210/AL) + (2 x CE630) + UC + (2 x 600/AL)****268(W) x 382(H) mm.** + EL555 + TF-104 + (34 x T-700) + EL540 + EL500 + (2 x EL516) + FA-Plus + (34 x T-740 Uno)**36****2000/AL + 3000/AL + (2 x 3280/AL) + (2 x 3210/AL) + (2 x CE630) + UC + (2 x 600/AL)****268(W) x 382(H) mm.** + EL555 + TF-104 + (36 x T-700) + EL540 + EL500 + (2 x EL516) + FA-Plus + (36 x T-740 Uno)**38****2000/AL + 3000/AL + 3280/AL + (3 x 3210/AL) + (2 x CE630) + UC + (2 x 600/AL)****268(W) x 382(H) mm.** + EL555 + TF-104 + (38 x T-700) + EL540 + EL500 + (3 x EL516) + FA-Plus + (38 x T-740 Uno)

Audio Systems

4+'n' installation

4 wires digital installation

Available in kit.



40

2000/AL + 3000/AL + (4 x 3210/AL) + (2 x CE630) + UC + (2 x 600/AL)

268(W) x 382(H) mm.

+ EL555

+ TF-104 + (40 x T-700)

+ EL540 + EL500 + (3 x EL516)

+ FA-Plus + (40 x T-740 Uno)



42

2220/AL + 3000/AL + (4 x 3210/AL) + (2 x CE630) + UC + (2 x 600/AL)

268(W) x 382(H) mm.

+ EL555

+ TF-104 + (42 x T-700)

+ EL540 + EL500 + (3 x EL516)

+ FA-Plus + (42 x T-740 Uno)



44

2220/AL + 3220/AL + (4 x 3210/AL) + (2 x CE630) + UC + (2 x 600/AL)

268(W) x 382(H) mm.

+ EL555

+ TF-104 + (44 x T-700)

+ EL540 + EL500 + (3 x EL516)

+ FA-Plus + (44 x T-740 Uno)



46

2000/AL + 3260/AL + (4 x 3210/AL) + (2 x CE630) + UC + (2 x 600/AL)

268(W) x 382(H) mm.

+ EL555

+ TF-104 + (46 x T-700)

+ EL540 + EL500 + (3 x EL516)

+ FA-Plus + (46 x T-740 Uno)



48

2000/AL + 3280/AL + (4 x 3210/AL) + (2 x CE630) + UC + (2 x 600/AL)


268(W) x 382(H) mm.

+ EL555

+ TF-104 + (48 x T-700)

+ EL540 + EL500 + (3 x EL516)

+ FA-Plus + (48 x T-740 Uno)



50

2000/AL + (5 x 3210/AL) + (2 x CE630) + UC + (2 x 600/AL)

268(W) x 382(H) mm.

+ EL555

+ TF-104 + (50 x T-700)

+ EL540 + EL500 + (3 x EL516)

+ FA-Plus + (50 x T-740 Uno)



52

2220/AL + (5 x 3210/AL) + (2 x CE630) + UC + (2 x 600/AL)

268(W) x 382(H) mm.

+ EL555

+ TF-104 + (52 x T-700)

+ EL540 + EL500 + (4 x EL516)

+ (2 x FA-Plus) + (52 x T-740 Uno)

Complete systems

