

## SANAN SA-1545



* Image Sensor	1/3" SONY CCD;
* Resolution	420TVL~700TVL(Optional);
* Lens	4-9mm Manual Zoom Lens (9-22mm Optional) External Lens Adjusting;
* LED	∅ 5mm×72PCS;
* IR Distance	60m;
* Waterproof	IP66;
* Bracket	3 Axis Bracket.

Model	SA-1545		
Image Sensor	1/3" Sony CCD		
TV System	PAL/NTSC		
Effective Pixel	PAL:500(H)×582(V) NTSC:510(H)×492(V)	PAL:752(H)×582(V) NTSC:768(H)×494(V)	PAL:795(H)×596(V) NTSC:811(H)×508(V)
Horizontal Resolution	420TVL	540TVL	600TVL
Minimal Illumination	0.1Lux/F1.2 0Lux(IR On)		0.001Lux/F1.2 0Lux(IR on)
Synchronous System	Internal Synchronization		
S/N Ratio	>48dB	>54dB	
Electronic Shutter	1/50-1/60,000s(PAL) 1/60-1/60,000s(NTSC)		
White Balance	ATW		
BLC	On		

<b>AGC</b>	Auto
<b>Gamma Adjusting</b>	0.45
<b>Video Output</b>	1.0Vp-p at 75Ω
<b>Lens</b>	4-9mm Manual Zoom Lens (9-22mm Optional) External Lens Adjusting
<b>LED</b>	∅ 5mm×72PCS
<b>IR Distance</b>	60m
<b>Power Supply</b>	DC 12V
<b>Working Temperature</b>	-10°C~+50°C RH90% MAX
<b>Dimension(mm)</b>	260mm×102.5mm×101mm
<b>Weight(g)</b>	1210g